ELSEVIER

Volume 233, Numbers 1–2; 15 January 1996

Journal of ALLOYS AND COMPOUNDS

Contents

Letters

Formation of novel ternary iron-rich rare earth compounds R–Fe–Ge (R=Sm,Gd) L1
K.-Y. Wang, J. Hu, Y.-Z. Wang, B.-P. Hu, Z.-X. Wang (Beijing, China)

$U_5Mo_{10}B_{24}$, a boride containing three different kinds of boron polyanions L3
T. Konrad, W. Jeitschko (Münster, Germany)

Chemistry

Coordination structures of lanthanide(III) and uranyl(VI) nitrato complexes with *N*,*N*′-dimethyl-*N*,*N*′-dibutylmalonamide. Part II 1
T. Nakamura, C. Miyake (Osaka, Japan)

Crystal structures and magnetic properties of $Ba_4Ru_3O_{10}$ and $Ba_5Ru_3O_{12}$ 15
C. Dussarrat, F. Grasset (Pessac, France), R. Bontchev (Sofia, Bulgaria), J. Darriet (Pessac, France)

Electrochemical synthesis of a pseudo-two-dimensional polytelluride containing Te_{12}^{2-} anions: structure of $[(C_2H_5)_4N]_2Te_{12}$ 23
C.J. Warren, R.C. Haushalter, A.B. Bocarsly (Princeton, NJ, USA)

Chemical trends in gold alkali alloys—a density functional theory study on stability and charge transfer. Part I: Gold alkali alloys of the formula MAu 30
G.H. Grosch, K.-J. Range (Regensburg, Germany)

Chemical trends in gold alkali alloys – a DFT-study on stability and charge transfer. Part II: Gold alkali alloys of the formula MAu_5 39
G.H. Grosch, K.-J. Range (Regensburg, Germany)

Circularly polarized luminescence and intermolecular energy transfer from terbium(III) to neodymium(III) amino-polycarboxylate complexes 44
K. Murata, M. Herren, K. Eguchi, M. Morita (Tokyo, Japan)

Electronic structures of $[Ln(NO_3)_x(NCS)_y]^{n-}$ (Ln ≡ La, Nd, Er) 52
Y. Zhang, S. Gao, C. Yan, J. Wang, B. Li, C. Huang, G. Xu (Beijing, People's Republic of China)

Preparation, structure and some physical properties of scheelite-related $AgLnMo_2O_8$ compounds 56
F. Shi, J. Meng, Y. Ren (Changchun, People's Republic of China)

$Na_2K[WN_3]$ and $Na_{11}Rb[(WN_3)_4]$, two new alkali metal nitrido tungstates(VI) with closely related structures 61
R. Niewa, H. Jacobs (Dortmund, Germany)

Magnetic and electrical properties of the substitution series $Ce_2Ni_{2x}Pd_{2(1-x)}In$ 69
Y. Ijiri, F.J. DiSalvo (Ithaca, NY, USA)

Ni_3B: powder diffraction pattern and lattice parameters 74
G.F. Kayser, F.X. Kayser (Ames, IA, USA)

Characterization, electrical transport and magnetic properties of the rare earth misfit layer compounds $(TbS)_{1.21}NbS_2$, $(TbS)_{1.20}TaS_2$, $(DyS)_{1.22}NbS_2$ and $(DyS)_{1.21}TaS_2$ 80
W.Y. Zhou, A. Meetsma, J.L. de Boer, G.A. Wiegers (Groningen, Netherlands)

Partial thermodynamic properties of the Ti–N system 89
W.-E. Wang (Berkeley, CA, USA)

Extraction and mutual separation of rare earths from concentrates and crude oxides using chemical vapor transport . . . 96
K. Murase, T. Ozaki, K.-i. Machida, G.-y. Adachi (Osaka, Japan)

A short asymmetric hydrogen bond in $K_4Cu_3[AsO_4]_2[AsO_3(OH)]_2$ 107
H. Effenberger (Vienna, Austria)

Elsevier Science S.A.

Physics

Investigation of the electronic structure of carbon-containing TiAl 112
S.F. Matar, J. Etourneau (Pessac, France)

Optical properties of $B_{12}P_2$ 121
H. Werheit, U. Kuhlmann (Duisburg, Germany), K. Shirai (Osaka, Japan), Y. Kumashiro (Yokohama, Japan)

Complex impedance and dielectric properties of an Mg–Zn ferrite 129
M.H. Abdullah, A.N. Yusoff (Selangor, Malaysia)

Magnetization of Dy_3Ni single crystal 136
E. Talik (Katowice, Poland), T. Mydlarz, A. Gilewski (Wrocław, Poland)

Spin reorientation studies in $Er_2(Fe, Si)_{14}B$ and $(Er, Y)_2Fe_{14}B$ compounds 140
M.M. Raja, A. Narayanasamy (Madras, India)

Magnetic and electrical properties of UCr_xAl_{12-x} alloys 146
K. Wochowski, W. Suski, D. Badurski (Wrocław, Poland)

Structural chemistry and magnetic behaviour of the ternary silicides U_2TSi_3 (T = Mn, Fe, Co, Ni, Ru, Rh, Pd, Os, Ir, Pt, Au) 150
B. Chevalier, R. Pöttgen, B. Darriet, P. Gravereau, J. Etourneau (Pessac, France)

Magnetic and Mössbauer spectral properties of the compound $Nd_6Fe_{13}Au$ 161
C.H. de Groot (Amsterdam and Eindhoven, Netherlands), F.R. de Boer, K.H.J. Buschow (Amsterdam, Netherlands), D. Hautot, G.J. Long (Rolla, MO, USA), F. Grandjean (Liège, Belgium)

Magnetic structure and preferred site occupation of Cr in the compound $YFe_{10}Cr_2$ 165
O. Moze (Parma, Italy), K.H.J. Buschow (Amsterdam, Netherlands)

New ternary uranium chalcogenides $M_2U_6X_{15.5}$ (M = Rh,Ir and X = S,Se): synthesis, crystal structure and magnetic properties 169
A. Daoudi, H. Noël (Rennes, France)

Ferromagnetic properties of $U_2M_{17-y}Ge_y$ systems (M ≡ Fe, Co) 174
B. Chevalier, P. Gravereau, T. Berlureau, L. Fournès, J. Etourneau (Pessac, France)

Atomic-mass effects in phase diagrams and high-temperature thermodynamic properties 183
G. Grimvall (Stockholm, Sweden)

Magnetic properties of $Nd_2Co_{17-x}Al_x$ compounds studied by magnetic measurements and neutron diffraction 188
C.H. de Groot (Amsterdam and Eindhoven, Netherlands), F.R. de Boer, K.H.J. Buschow (Amsterdam, Netherlands), Z. Hu, W.B. Yelon (Columbia, MO, USA)

Materials Science

Co–Mo alloy electrodeposits and charge–discharge cycling in alkaline batteries 192
D. Lupu, A.R. Biris (Cluj-Napoca, Romania)

Phase transition features of NiTi orthodontic wires subjected to constant bending strains 197
B. Coluzzi, A. Biscarini, L. Di Masso, F.M. Mazzolai, N. Staffolani, M. Guerra, M. Santoro (Perugia, Italy), S. Ceresara, A. Tuissi (Como, Italy)

Phase stability and properties of $Ln_2Mn_{2/3}Mo_{4/3}O_7$ (Ln = rare earth) 206
G. Chen, K. Takasaka, N. Kamegashira (Toyohashi, Japan)

A composite crystal of $[Sr_2Cu_2O_3][CuO_2]_x$ ($x = 1.436$) grown by a flux method using KCl as a flux 212
T. Shishido, K. Ukei, T. Fukuda (Sendai-shi, Japan)

Studies of HDDR processes in Sm_2Fe_{17}, $Sm_{10.2}Fe_{85.8}Nb_4$ and $Sm_{9.5}Fe_{80.5}Nb_{10}$ alloys 216
O. Gutfleisch, J.C. Clarke, A.C. Neiva, S.A. Sinan, I.R. Harris (Birmingham, UK)

Studies on the performance of $Ti_2Ni_{1-x}Al_x$ hydrogen storage alloy electrodes 225
B. Luan, N. Cui, H. Zhao, S. Zhong, H.K. Liu, S.X. Dou (Wollongong, Australia)

Crystal structures and magnetic properties of $Nd(Fe,M)_{12}C_x$ and $Nd(Fe,M)_{12}C_xN_y$ (M = Mo, Ti, V) prepared by cast method 231
H. Izumi, Y. Seyama, K. Machida, G. Adachi (Osaka, Japan)

Effects of yttrium additions on the electrode performance of magnesium-based hydrogen storage alloys 236
N. Cui, B. Luan, H.J. Zhao, H.K. Liu, S.X. Dou (Wollongong, Australia)

Metallurgy

Investigation of the high aluminium end of the aluminium–ruthenium phase diagram 241
T.D. Boniface, L.A. Cornish (Johannesburg, South Africa)

Liquid–solid equilibria in the aluminium-rich corner of the Al–Cr–Ni system 246
E. Rosell-Laclau, M. Durand-Charre, M. Audier (Saint Martin d'Hères, France)

The cobalt–indium system: enthalpy of formation and phase diagram 264
J.P. Bros, M. Gaune-Escard, D. El Allam, R. Haddad (Marseille, France), E. Hayer (Vienna, Austria)

Standard enthalpies of formation of some carbides, silicides, germanides, stannides and borides of Dysprosium by high temperature direct synthesis calorimetry 272
S.V. Meschel, O.J. Kleppa (Chicago, IL, USA)

The constitution of aluminum–cobalt alloys between Al_5Co_2 and Al_9Co_2 279
B. Grushko, R. Wittenberg, K. Bickmann, C. Freiburg (Jülich, Germany)

Author Index of Volume 233 289

Subject Index of Volume 233 291

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.